
TOWER









Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. The Fire Company Pty Ltd (TFC), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "The Fire Company"), disclaim any and all liability or any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. TFC disclaims any and all liability arising out of the use or applications of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify TFC Pt2s terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of TFC. Customers using or selling TFC products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify TFC for any damages are indicative only.



TOWER



Not available in USA & Canada

Application	Indoor & Outdoor	
Materials	Fluid Concrete Technology, Grade 304 Stainless Steel, Toughened Glass	
Weight	41.2kg [90.6lbs] Weight includes burner.	
Colours [¥] & SKU's	Natural Bone Graphite Rust	ESF.2.O.TWR.NA ESF.2.O.TWR.BO ESF.2.O.TWR.GH ESF.2.O.TWR.RU
Optional Accessories	Protective Cover	

BURNER INFORMATION*

Burner	AB8	
Fuel Type	e-NRG Bioethanol	
Fuel Capacity	8 Litres [2.1 Gallons]	
Heats on Average (when used indoors)	Over 60 square metres [645 square feet]	
Burn Time	7 - 11 hours (approx)	
Minimum Room Size	116 cubic metres [4096 cubic feet] per fireplace.	

and Rust concrete models come with black decorative media (subject to change).

on the model purchased, weather conditions, installation and bioethanol used.



[37.7] 959 [29.9] 759 [0.3] 9 FRONT VIEW [17.7] 450 ¥ Natural and Bone concrete models come with white decorative media. Graphite [17.7] 450 * The efficiency data outlined above is indicative only and may vary depending TOP VIEW This model comes with fixing brackets for permanently locating into a fixed position. This model is a manufacturer approved surround for the UL Listed AB8 burner. FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. The Fire Company Pty Ltd (TFC), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "The Fire Company"), disclaim any and all liability arising out of the use or applications of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify TFC Pt's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estopped or otherwise, to any intellectual property rights is granted by this document or by any conduct of TFC. Customers using or selling TFC products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify TFC for any damages arising or resulting from such use or sale. Please contact authorised personnel from TFC to obtain written terms and conditions regarding products designed for such applications. Images are indicative only. www.ecosmartfire.com © Copyright 2004 - 2018 The Fire Company Pty Ltd. All rights reserved. V1117